

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7465	one\$2 near complement	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:03
S2	178	one\$2 near complement near3 checksum\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:04
S3	4	one\$2 near complement near3 checksum\$1 near15 memory	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:04
S4	178	one\$2 near complement near3 checksum\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:06
S5	25	one\$2 near complement near3 checksum\$1 same (program\$1 or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:07
S6	177	one\$2 near complement near3 checksum\$1 and @ad	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:15
S7	63	one\$2 near complement near3 checksum\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:16
S8	19267	background same foreground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:26

S9	2255	program same background same foreground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:26
S10	2255	program same background same foreground and background same foreground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:27
S11	289	program same background near2 (task\$1 or process\$2) same foreground and background same foreground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:27
S12	222	program same background near2 (task\$1 or process\$2) same foreground near2 (task \$1 or process\$2) and background same foreground	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:28
S13	17	program same background near2 (task\$1 or process\$2) same foreground near2 (task \$1 or process\$2) and background same foreground and background near10 loop	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:28
S14	13	program same background near2 (task\$1 or process\$2) same foreground near2 (task \$1 or process\$2) and background same foreground and background near10 loop and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:29
S15	10	program same background near2 (task\$1 or process\$2) same foreground near2 (task \$1 or process\$2) and background same foreground and background near10 loop and power\$4 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:38
S16	176	minimiz\$5 near15 power same background and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:39

S17	107	minimiz\$5 near5 power same background and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:40
S18	1	minimiz\$5 near5 power same background near (task or process) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:41
S19	0	minimiz\$5 near5 power same background near2 (comple\$5 or finish\$4) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:41
S20	0	minimiz\$5 near5 power same background near5 (comple\$5 or finish\$4) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:41
S21	56	power same background near2 (comple\$5 or finish\$4) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:48
S22	1212	log\$4 near15 (error or failure) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:54
S23	101	log\$4 near15 (error or failure) near15 program\$1 and performance\$2 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:55
S24	43	log\$4 near15 (error or failure) near15 program\$1 and performance\$2 near15 program\$1 same log\$4 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 10:56
S25	9	(log\$1 or logging or logged) near15 (error or failure) near15 program\$1 and performance\$2 near15 program\$1 same (log\$1 or logging or logged) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:01

S26	515	(log\$1 or logging or logged) near15 (error or failure) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:01
S27	35	(log\$1 or logging or logged) near15 (error or failure) near15 program\$1 and performanc\$4 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 11:02
S28	95	(log\$1 or logging or logged) near15 (errors or failures) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 14:30
S29	10	(log\$1 or logging or logged) near15 (errors or failures) near15 execut\$4 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 14:48
S30	10	(log\$1 or logging or logged) near15 (errors or failures) near15 execut\$4 near15 program\$1 and (error\$1 or failure\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 14:49
S31	0	(log\$1 or logging or logged) near15 (errors or failures) near15 execut\$4 near15 program\$1 and rating\$1 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:12
S32	0	(log\$1 or logging or logged) near15 (errors or failures) near15 program\$1 and rating\$1 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:12
S33	11	(log\$1 or logging or logged) near15 (errors or failures) near15 program\$1 and performanc\$4 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:12

S34	82	(log\$1 or logging or logged) near15 performanc\$4 near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:15
S35	22043313	(log\$1 or logging or logged) near15 performanc\$4 near15 program\$1 and (errors or failures) near15 program\$1 (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:15
S36	42	(log\$1 or logging or logged or record\$4) near15 performanc\$4 near15 program\$1 and (errors or failures) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:19
S37	3	(log\$1 or logging or logged or record\$4) near15 performanc\$4 near15 program\$1 same (errors or failures) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:21
S38	17	(log\$1 or logging or logged or record\$4) near15 performanc\$4 near15 program\$1 same (error\$1 or failure\$1) near15 program\$1 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 16:21
S39	5	safety-critical near (software \$1 or program\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:00
S40	591	critical near (software\$1 or program\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:08
S41	0	critical near (software\$1 or program\$1) near15 separat \$4 near14 stor\$4 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:08

S42	4	critical near (software\$1 or program\$1) near15 separat\$4 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:09
S43	5	critical near (software\$1 or program\$1) near15 isolat\$4 and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:09
S44	1811	(software or program) near15 exceed\$4 near15 time and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:23
S45	80	(software or program) near15 exceed\$4 near15 time near (interval\$1 or slice\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:24
S46	36	(software or program) near15 extend\$4 near15 time near (interval\$1 or slice\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:31
S47	60	execut\$5 near10 exceed\$4 near15 time near (interval\$1 or slice\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:34
S48	9	program\$1 near15 execut\$5 near10 exceed\$4 near15 (interval\$1 or slice\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:57
S49	42931	execut\$6 near15 programs and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:59
S50	7549	execut\$6 near15 programs and time near2 (slice\$1 or interval\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:59

S51	842	execut\$6 near15 programs and program near10 time near2 (slice\$1 or interval\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 10:59
S52	34	execut\$6 near15 programs and program near10 time near2 (slice\$1 or interval\$1) and exceed\$4 near15 time near2 (slice\$1 or interval\$1) and (@ad<"20000516" or @rlad<"20000516")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/24 11:00

2/28/2009 1:41:52 PM

C:\Documents and Settings\plee2\My Documents\EAST\Workspaces\09821537pcl.wsp